

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/668,831	09/22/2000	Douglas W. Walker	135555-0262	2423
7:	590 11/21/2003		EXAM	INER
J. ANDREW LOWES			DAVIS, DANIEL J	
HAYNES AND	BOONE	•	C	<del></del>
901 MAIN STREET, SUITE 3100		ART UNIT	PAPER NUMBER	
DALLAS, TX	75202-3789		3731	77

DATE MAILED: 11/21/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
•	09/668,831	WALKER ET AL.	
Office Action Summary	Examiner	Art Unit	
	D. Jacob Davis	3731	
The MAILING DATE of this communicat			
Period for Reply			
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA  - Extensions of time may be available under the provisions of 3i after SIX (6) MONTHS from the mailing date of this communic  - If the period for reply specified above is less than thirty (30) da  - If NO period for reply is specified above, the maximum statuto:  - Failure to reply within the set or extended period for reply will,  - Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).  Status	TION. 7 CFR 1.136(a). In no event, however, may a ation. 1ys, a reply within the statutory minimum of thirty period will apply and will expire SIX (6) MOI by statute, cause the application to become A	reply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
1) Responsive to communication(s) filed o	n 18 August 2003.		
, ,	☐ This action is non-final.		
Since this application is in condition for closed in accordance with the practice to the second	allowance except for formal mat		
Disposition of Claims			
4)⊠ Claim(s) <u>1-12 and 29</u> is/are pending in t	the application.		
4a) Of the above claim(s) is/are v	vithdrawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-12 and 29</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction	n and/or election requirement.		
Application Papers			
9) The specification is objected to by the E			
10) The drawing(s) filed on is/are: a)			
Applicant may not request that any objection	<del>-</del> · · ·	, ,	
Replacement drawing sheet(s) including the 11) The oath or declaration is objected to by	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	•
,	The Examiner, Note the attache	d Office Action of form P10-152.	
Priority under 35 U.S.C. §§ 119 and 120		0.440(.) (1) (0	
12) Acknowledgment is made of a claim for a) All b) Some * c) None of:  1. Certified copies of the priority docentified copies of the priority docentified copies of the priority docentified copies of the certified copies of the application from the International * See the attached detailed Office action for 13) Acknowledgment is made of a claim for consince a specific reference was included in 37 CFR 1.78.  a) The translation of the foreign languated the process of the priority docentified copies of t	cuments have been received. cuments have been received in A he priority documents have been Bureau (PCT Rule 17.2(a)). or a list of the certified copies not domestic priority under 35 U.S.C in the first sentence of the specific age provisional application has be domestic priority under 35 U.S.C	Application No I received in this National Stage received. § 119(e) (to a provisional application or in an Application Data Sheeteen received. §§ 120 and/or 121 since a specific	et.
Attachment(s)			
1) X Notice of References Cited (PTO-892)		Summary (PTO-413) Paper No(s)	
2) Notice of Draftsperson's Patent Drawing Review (PTO- 3) Information Disclosure Statement(s) (PTO-1449) Paper	948) 5) Notice of	informal Patent Application (PTO-152)	

Art Unit: 3731

#### **DETAILED ACTION**

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4, 5, 7, 8 and 11 are rejected under 35 U.S.C. 103(a) as being obvious over U.S. Patent No. 3,550,280 to Palm in view of U.S. Patent No. 4,823,244 to Alaybayoglu et al.

Illustrated in Fig. 10, Palm discloses a handpiece 16 having a tool supporting end and a battery receiving end. Best illustrated in Figs. 1-2, the battery receiving end has an alignment post with circular electrical contacts 96 and 97 concentric to the post. The embodiment of Fig. 10 uses a battery pack 123 to drive the motor. The battery pack 123 is connected to a handpiece 16 in the same manner as unit 17 in the embodiment of Figs. 1-2. Best illustrated in Figs. 1-2, Palm discloses a unit 17 (for which the battery pack 123 is substituted in Fig. 10) having circular electrical contacts 36, 37, 41, and 42 concentric with the alignment post. The contacts 36, 37, 41 and 42 "are lockingly and conductively interengaged" with the contacts 96a and 97a of handpiece 16 "upon engagement of the alignment post with the central opening and in response to rotation of the battery pack [123] relative to the handpiece [16]." As the battery pack 123 and

Art Unit: 3731

the handpiece 123 are rotated into position relative to one another, spring-supported contact 97a snaps into position, and inherently makes an audible noise once proper contact is achieved. The battery pack 123 further comprises a central opening through which the alignment post is positioned. As illustrated in Fig. 10, the handpiece 16 has flat end surfaces 76 which abut against flat surfaces of the battery pack. The flat surfaces of the battery pack are the surfaces of element 126.

Palm discloses the use of a rechargeable battery pack. However, the battery pack inherently could be used only once and then discarded. In this sense, it may be referred to as a "single use" or "disposable" battery pack. In the alternative, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a non-rechargeable or "single use" battery pack since it is well known that single use, disposable" batteries include "higher energy capacity per volume," "higher energy capacity per weight,' higher reliability," and "may be entered in the normal waste stream." Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a "single use, disposable battery pack" for the aforementioned reasons.

Palm's clippers may be considered a surgical tool. It is well known that tools intended for commercial use may also be used in surgery. A screwdriver sold in a hardware store may be used to insert a screw in bone, just as it may insert a screw in wood. A saw may be used to cut bone just it can cut wood. And a drill may bore a hole in a bone as it can bore a hole in wood. Likewise, Palm's clippers may be used in a

Art Unit: 3731

surgical procedure just as they may be used to cut hair outside of surgery. Therefore, Palm's clippers may be considered a surgical instrument.

Since Palm's device is a surgical instrument, it absolutely, unequivocally, must be sterilized to prevent infection. However, sterilizing takes time away from an end user. So, Alaybayoglu teaches the use of a sterile container and battery pack, obviating the need of an end user to sterilize the battery pack before each surgical use. See col. 1, lines 59-68. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a single use sterile container for a battery pack, instead of a rechargeable battery pack, as taught by Alaybayoglu, in order to save time.

Regarding claims 5 and 11, the particulars of the device as claimed in the body of the claim do not support the preamble. In other words, there are no structural limitations, such as a drill bit, or teeth in a saw, that are used to cut bone. Therefore, all that is required to meet the functional limitations of the claim is that the device be capable of performing the requisite functional limitations. Although it would not be very effective, Palm's clippers could in fact be used to cut bone.

Claims 2, 3, 6 and 12 are rejected under 35 U·S.C. 103(a) as being obvious over U.S. Patent No. 3,550,280 to Palm in view of U.S. Patent No. 4,823,244 to Alaybayoglu et al. and further in view of admitted prior art. The manner in which the references meet the claim limitations has been set forth. However, Palm (or Alaybayoglu) fails to disclose the use of a battery pack having "chemistry based upon lithium/manganese"

Art Unit: 3731

dioxide." Nevertheless, Applicants admit on page 10 of the Specification that lithium/manganese dioxide batteries are known to have a long burn time and are standardized batteries. Therefore, their use in a disposable battery pack for a surgical instrument would have been obvious to one of ordinary skill in the art at the time the invention was made because they are standardized batteries, known to have a long burn time.

Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being obvious over U.S. Patent No. 3,550,280 to Palm in view of U.S. Patent No. 4,823,244 to Alaybayoglu et al. and further in view of U.S. Patent No. 5,368,954 to Bruns. Palm discloses the use of a round handpiece 16 and a round and oval batter pack 123. The handpiece and battery pack are "closely similar in size and shape." The external surfaces of the handpiece and battery pack have a continuous external surface as illustrated in Fig. 1.

However, Palm fails to disclose the "battery receiving end of the handpiece, and the attachment end of the battery pack, each ha[ving] a non-circular external cross-sectional configuration." Nevertheless, it has been held that mere changes in size or shape are within the level of ordinary skill in the art. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to make the handpiece and battery pack rectangular or any other circular or non-circular shape.

In the alternative, Bruns teaches the use of a rectangular handpiece 2 and battery pack 16, which indicate to a user whether or not the two pieces are aligned upon insertion or removal. The rectangular shape further indicates to a user when sufficient

Art Unit: 3731

relative rotation of the two pieces has been reached to create proper contact alignment. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was make Palm's handpiece and battery pack rectangular (and hence non-circular) as taught by Bruns to indicate proper insertion and separation alignment, and proper contact alignment.

The manner in which the limitations of claim 10 read on the prior art have been heretofore described.

Claim 29 is rejected under 35 U.S.C. 103(a) as being obvious over U.S. Patent No. 3,550,280 to Palm, in view of U.S. Patent No. 4,823,244 to Alaybayoglu et al., in view of admitted prior art, and in further view of U.S. Patent No. 5,368,954 to Bruns. The handpiece and battery pack have a non-circular external cross-section. (The motivation for a non-circular cross-section is taught by Bruns and may be found in the rejection of claim 9.) The handpiece comprises two ends, an alignment post on the second end, a plurality of circular concentric contacts, and flat ends surfaces 76.

The battery pack 123 is sterile and disposable. (The motivation for a sterile and disposable battery pack is taught by Alaybayoglu and is found in the rejection of claims 1, 4, 5, 7, 8 and 11.) The battery chemistry is based on lithium/manganese dioxide. (See the rejection of claims 2, 3, 6 and 12.) The battery pack and handpiece are secured by rotating the two pieces relative to one another. The attachment end of the battery pack has an opening that receives the handpiece alignment post. The contacts of the battery pack and handpiece mate and are "lockingly and conductively

Art Unit: 3731

interengaged in response to rotating movement." When locked, they handpiece and battery pack form an "essentially continuous external surface."

## Response to Arguments

Applicants' arguments dated August 18, 2003 have been considered persuasive. Specifically, Bruns does not disclose that the contacts (themselves) "are adapted to become *lockingly* and conductvely *interengaged...in response to rotation of the battery pack relative to the handpiece.*" Therefore, the rejections over Bruns are withdrawn.

Nevertheless, Applicants' arguments are moot in view of the new grounds of rejection.

Art Unit: 3731

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to D. Jacob Davis whose telephone number is (703) 305-1232. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Milano can be reached on (703) 308-2496. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9302.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

November 5, 2003

MICHAEL J. MILANO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

Page 8